

Creating a more hygienic health care facility doesn't stop at the restroom



Placing hand sanitizer and signage in offices and common areas is a step in the right direction. But studies show it simply isn't enough to make a real impact. Targeting "hot spots" with hand and surface hygiene, is a key step toward reducing the spread of germs. Objects that are touched by lots of people throughout the day – such as doorknobs, elevator buttons and hand rails – should be cleaned and disinfected daily in order to help break the chain of germ transmission.

Cleaning

removes germs, dirt, and impurities from surfaces or objects. Cleaning works by using soap (or detergent) and water to physically remove germs from surfaces. This process **does not necessarily kill germs**, but by removing them, it lowers their numbers and the risk of spreading infection.



Disinfecting

kills germs on surfaces or objects. Disinfecting works by using **chemicals to kill germs** on surfaces or objects.* This process does not necessarily clean dirty surfaces or remove germs, but by killing germs on a surface after cleaning, it can further lower the risk of spreading infection.



Hand Sanitizing

kills germs on the body. The FDA regulates all topical antiseptic products such as hand sanitizers. These products are intended to be used when soap and water are not available and are not rinsed off with water.



Make it easy to drive cleaning and hygiene habits!

Step 1:

Clean the surface of commonly touched objects – use detergent or soap and water prior to disinfection.


Step 2:

Disinfect the surface – use **EPA-registered** household disinfectants. Follow manufacturer's instructions for application and dwell time.



Clean these hot spot areas to help reduce germs in health care facilities.

No matter which surfaces they come in contact with throughout their day, give your staff, patients and visitors greater peace of mind by providing proven cleaning and disinfecting solutions to help break the chain of germ transmission.



In the span of 24 hours, the average **adult touches 7,200 surfaces¹** and **touches their face 552 times²**.



Keyboards harbored **8,900 bacteria⁴** per keyboard.
Mobile phones harbored **6,300 bacteria⁵** per phone.



The average desk has **400 times more bacteria⁷** than a toilet seat.



Cotton towels **reduced disinfectant strength by up to 85%³**



67% of soak buckets tested harbored **bacteria⁶**



93% of towels sampled contained live **bacteria⁶** including:

- *E. coli*
- Coliforms linked to feces
- Pneumonia associated bacteria

For more information on how to make your facility truly exceptional – a place where everyone feels equipped and empowered to contribute to a more hygienic environment, visit our [hand and surface cleaning page](#).

1. Zhang, N., Li, Y. and Huang, H., 2018. Surface touch and its network growth in a graduate student office. *Indoor air*, 28(6), pp.963-972

2. A frequent habit that has implications for hand hygiene Kwok, Yen Lee Angela et al. 2015. *American Journal of Infection Control*, Volume 43, Issue 2, 112–114

3. "Decreased activity of commercially available disinfectants containing quaternary ammonium compounds when exposed to cotton towels." Charles Gerba, Ph.D, et al, *American Journal of Infection Control*, April, 2013, www.ajicjournal.org.

4. Pyrek, K.M., 2014. *Cross-Contamination Prevention: Addressing Keyboards as Fomites*

5. Martínez-González, N.E., Solorzano-Ibarra, F., Cabrera-Díaz, E., Gutiérrez-González, P., Martínez-Chávez, L., Pérez-Montaña, J.A. and Martínez-Cárdenas, C., 2017. Microbial contamination on cell phones used by undergraduate students. *Canadian Journal of Infection Control*, 32(4).

6. "Microbial contamination of hospital reusable cleaning towels," Charles Gerba, Ph.D, et al, *American Journal of Infection Control*, March, 2013, WITH Engelbrecht K, D Ambrose, L Sifuentes, C Gerba, I Wearn, DW Koenig. 2013. Decreased Germicidal Activity of Commercially Available Disinfectants Containing Quaternary Ammonium Compounds when Exposed to Cotton Towels. *American Journal of Infection Control*. 41 (10), 908-911. Sifuentes LY, CP Gerba, I Wearn, K Engelbrecht, and DW Koenig. 2013. Microbial Contamination of Hospital Reusable Cleaning Towels. *American Journal of Infection Control*. 41 (10), 912-915.

7. U. of Arizona study by Gerba, C. 2002. *First In-Office Study Dishes The Dirt on Desks*

This information is brought to you by:

