




ICON™



Recessed Roll Towel Dispenser

Engineered to provide
you confidence, designed
to elevate your space.





ICON COLLECTION

Stainless Steel Recessed Roll Towel Dispenser

Elevate your space with the latest advancement in reliable towel dispensing. Thoughtfully engineered with an eye on aesthetics and sustainability, the Kimberly-Clark Professional™ ICON™ hard roll towel system refines every interaction of the dispensing experience from server to end-user.

RECESSED PRODUCT CODES

Stainless Steel (53706), Narrow (53697), with Trim (53699)

WALLMOUNT PRODUCT CODES

Black Mosaic (58720) Ebony Woodgrain (58750)
Silver Mosaic (53691) Cherry Blossom (58730)
White Mosaic (58710) Warm Marble (58740)

CUSTOM FACEPLATES



Endless customization
possibilities



Create and order
custom faceplates

PRODUCT FEATURES

- Precision detection from patented dual sensors provides effortless operation with a single motion.
- With practically noiseless operation, ICON™ hand towel dispenser is 85% quieter than the leading competition.¹
- LED lights communicate when a unit needs attention, minimizing touchpoints for an improved experience.
- Proven 99.99% jam-free performance to ensure paper towels are available when needed.³
- Long-lasting battery life, single set of batteries can last for more than 150,000 dispenses²

ICON™ | Kimberly-Clark
PROFESSIONAL™

It's time to add style
to hygiene.




OVERVIEW

ICON™ Automatic Roll
Towel Dispenser | Recessed

Dimensions (WxHxD)	Qty/Case
13.50" x 17.91" x 6.52"	1x
34.29cm x 45.49cm, 16.56cm	

 Stainless Steel (53706)

Lifetime Warranty † 



MOUNTING SPECIFICATIONS


Suggested mounting height is 48" (122cm) from the floor.

When installed properly and used with the corresponding product, this dispenser meets ADA Standard 28 CFR Part 36, local rules may vary.


Rough Wall Opening


11" (28cm) Wide
15" (38cm) High
4" (10cm) Minimum Depth


ADA Compliant * 





PRODUCT FEATURES


- 


Precision detection from patented dual sensors provides effortless operation with a single motion.
- 


Long-lasting battery life, single set of batteries can last for more than 150,000 dispenses²
- 


With practically noiseless operation, ICON™ hand towel dispenser is 85% quieter than the leading competition.¹
- 


Versatile security options of keyed or keyless entry, and the choice of left or right lock location for easier access.
- 

LED lights communicate when a unit needs attention, minimizing touchpoints for an improved experience.
- 

Sophisticated dampened hinges make changeouts effortless, with smooth, one-handed operation.
- 

Proven 99.99% jam-free performance to ensure paper towels are available when needed.
- 

Color-coded system simplifies maintenance and minimizes touchpoints, for a more hygienic paper towel change-over.
- 

Stub roll capability enables restocking before the roll is empty, streamlining maintenance.
- 

Three sheet length settings, and two sensor sensitivity settings


OVERVIEW

ICON™ Automatic Roll Towel Dispenser | Narrow Recessed

Dimensions (WxHxD)	Qty/Case
13.50" x 17.91" x 6.52"	1x
34.29cm x 45.49cm, 16.56cm	

 Stainless Steel (53697)

Lifetime Warranty † 



MOUNTING SPECIFICATIONS


Suggested mounting height is 48" (122cm) from the floor.

When installed properly and used with the corresponding product, this dispenser meets ADA Standard 28 CFR Part 36, local rules may vary.


Rough Wall Opening


11" (28cm) Wide
15" (38cm) High
4" (10cm) Minimum Depth


ADA Compliant * 





PRODUCT FEATURES


- 


Precision detection from patented dual sensors provides effortless operation with a single motion.
- 


Long-lasting battery life, single set of batteries can last for more than 150,000 dispenses²
- 


With practically noiseless operation, ICON™ hand towel dispenser is 85% quieter than the leading competition.¹
- 


Versatile security options of keyed or keyless entry, and the choice of left or right lock location for easier access.
- 

LED lights communicate when a unit needs attention, minimizing touchpoints for an improved experience.
- 

Sophisticated dampened hinges make changeouts effortless, with smooth, one-handed operation.
- 

Proven 99.99% jam-free performance to ensure paper towels are available when needed.
- 

Color-coded system simplifies maintenance and minimizes touchpoints, for a more hygienic paper towel change-over.
- 

Stub roll capability enables restocking before the roll is empty, streamlining maintenance.
- 

Three sheet length settings, and two sensor sensitivity settings




OVERVIEW

ICON™ Automatic Roll Towel Dispenser | Recessed with Trim

Dimensions (WxHxD)	Qty/Case
17.64" x 22" x 6.52"	1x
44.8cm x 55.88cm, 16.56cm	


 Stainless Steel (53699)

Lifetime Warranty † 



17.64" (44.8cm)

22"
(55.88cm)



6.52"
(16.56cm)

MOUNTING SPECIFICATIONS


Suggested mounting height is 48" (122cm) from the floor.

When installed properly and used with the corresponding product, this dispenser meets ADA Standard 28 CFR Part 36, local rules may vary.

Rough Wall Opening

11" (28cm) Wide
15" (38cm) High
4" (10cm) Minimum Depth


ADA Compliant * 



2.86" (7.26cm)

15.04"
(38.20cm)

4.10" (10.4cm)



3.14"
(8cm)

3.53"
(9cm)

10.97" (27.86cm)

PRODUCT FEATURES



Precision detection from patented dual sensors provides effortless operation with a single motion.



With practically noiseless operation, ICON™ hand towel dispenser is 85% quieter than the leading competition.¹



LED lights communicate when a unit needs attention, minimizing touchpoints for an improved experience.



Proven 99.99% jam-free performance to ensure paper towels are available when needed.³



Stub roll capability enables restocking before the roll is empty, streamlining maintenance.



Long-lasting battery life, single set of batteries can last for more than 150,000 dispenses²



Versatile security options of keyed or keyless entry, and the choice of left or right lock location for easier access.




Sophisticated dampened hinges make changeouts effortless, with smooth, one-handed operation.



Color-coded system simplifies maintenance and minimizes touchpoints, for a more hygienic paper towel change-over.



Three sheet length settings, and two sensor sensitivity settings



ICON™ COLLECTION

Hard Roll Towels

To learn more about bundles, please contact your
Kimberly-Clark Professional Sales Representative
or visit www.KCProfessional.com



- ✓ ECOLOGO® Certified for reduced environmental impact
- ✓ FSC® Certified
- ✓ Meets EPA Guidelines, minimum post-consumer waste content: towels 40%
- ✓ NSF® Registered

STANDARD	PLUS	PREMIUM
<p>There are currently no standard offerings for this unit.</p>	<div><div>Scott</div><div>Scott® Pro Roll Towels</div><div>53925</div><div>700' per roll</div><div><div>✓</div><div>✓</div><div>✓</div><div>✓</div></div></div> <div><div>Scott</div><div>Scott® Pro High Capacity Roll Towels</div><div>25702</div><div>1150' per roll</div><div><div>✓</div><div>✓</div><div>✓</div><div>✓</div></div></div> <div><div>Scott</div><div>Scott® Pro Roll Towels</div><div>43959</div><div>900' per roll</div><div><div>✓</div></div></div>	<div><div>Kleenex</div><div>Kleenex® Roll Towels</div><div>25637</div><div>700' per roll</div><div><div>✓</div><div>✓</div><div>✓</div></div></div> <div><div>Kleenex</div><div>Kleenex® 2-Ply Roll Towels</div><div>54471</div><div>500' per roll</div><div><div>✓</div></div></div>



¹Against leading competition ²Based on an average of 30,000 dispenses per year using historical usage and foot traffic data ³Based on Kimberly-Clark Professional lab testing

⁴Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSOR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

⁵Suggested mounting height is 48" from the floor or 12" above a counter to the bottom of the dispenser. When installed properly and used with the corresponding product, this dispenser meets ADA Standard 28 CFR Part 36, local rules may vary.